

Ref . #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	6	"704"/275.ccls. and everhart	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/07 16:38
S1	500	704/275.ccls. and location	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/03 07:51
S2	115	704/275.ccls. and appliance	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/03 07:57
S3	19	(704/275.ccls. and appliance) and vector	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/03 07:58
S4	0	(704/275.ccls. and appliance) and (vector near15 ((user speaker) near4 location))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/03 07:58
S5	0	704/275.ccls. and (vector near15 ((user speaker) near4 location))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/03 08:01
S6	81	704/275.ccls. and ((sound voice) near4 location)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/03 08:17
S7	1	704/275.ccls. and ((sound voice) near4 location) same vector	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/03 07:59
S8	8	(704/275.ccls. and ((user speaker) near4 location) and ((voice speaker) near4 (recogni\$6))) and clock and (ADC analog\$to\$digital)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/03 08:02
S9	11	(704/275.ccls. and ((sound voice) near4 location)) and vector	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/03 08:06
S10	145	704/275.ccls. and ((sound voices speaker user) near4 location)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/03 08:18
S11	1	704/275.ccls. and ((sound voices speaker user) near4 location) same vector	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/03 08:18

S12.	27	704/275.ccls. and ((sound voices speaker user) near4 location) and (ADC analog\$to\$digital)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/03 08:18
S13	37	704/275.ccls. and ((sound voices speaker user) near4 location) and (ADC analog\$to\$digital A/D)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/03 08:41
S14	13	704/275.ccls. and ((sound voices speaker user) near4 location) and (ADC analog\$to\$digital A/D) and clock	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/03 08:40
S15	2	704/275.ccls. and (directional near4 microphone) and (ADC analog\$to\$digital A/D) and clock	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/03 08:40
S16	347	((speech voice) near3 command) and ((sound voices speaker user) near4 location) and (ADC analog\$to\$digital A/D)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/03 08:42
S17	2	((speech voice) near3 command) and (((sound voices speaker user) near4 location) with vector) and (ADC analog\$to\$digital A/D)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/03 08:42
S18	13	"704"/\$.ccls. and (ADC near4 clock)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/03 09:42
S19	1	"704"/\$.ccls. and (("analog to digital" analog\$to\$digital A/D ADC) near8 (add\$3 near2 clock))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/03 09:48
S20	1	"704"/\$.ccls. and (("analog to digital" analog\$to\$digital A/D ADC) same (add\$3 near2 clock))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/03 09:54
S21	154	((("analog to digital" analog\$to\$digital A/D ADC) same (add\$3 near2 clock))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/03 09:49
S22	3	"704"/\$.ccls. and ((digital digitized) near6 (add\$3 near2 clock))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/03 09:54
S23	4	"704"/\$.ccls. and ((digital digitized) with (add\$3 near2 clock))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/03 10:21

S24.	17	"704"/\$.ccls. and (clock near3 adder)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/03 10:22
S25	127	"clock adder"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/03 10:34
S26	15	"clock adder" same (ADC converter)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/03 10:35
S27	208	((add\$3 near2 clock) with (ADC converter))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/03 10:36
S28	2	((((add\$3 near2 clock) with (ADC converter))) and "704"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/03 10:37
S29	187	(clock near5 appl\$6) and "704"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/03 10:38
S30	12	(clock near5 appl\$6) and 704/275.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/03 10:41
S31	5	(clock near6 sampling) and 704/275.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/03 10:44
S32	16	(clock near6 sampling) and "704"/\$.ccls. and ((voice speech) near3 command)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/03 10:56
S33	12	(clock near6 reference) and "704"/\$.ccls. and ((voice speech) near3 command)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/03 11:01
S34	169	(clock with ("analog to digital" A/D ADC analog\$to\$digital)) and "704"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/03 11:02
S35	7	(clock with ("analog to digital" A/D ADC analog\$to\$digital)) and 704/275.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/03 11:04

S36	3	((clock near4 (processor DSP)) same ("analog to digital" A/D ADC analog\$to\$digital)) and 704/275.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/03 12:06
S37	236	704/275.ccls. and (speaker near3 recogni\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/03 12:07
S38	38	(704/275.ccls. and (speaker near3 recogni\$6)) and ((command) near4 (length time))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/03 12:16
S39	82	(704/275.ccls. and (speaker near3 recogni\$6)) and ((word) near4 (length time))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/03 12:17
S40	19	(704/275.ccls. and (speaker near3 recogni\$6)) and ((word) near4 (length and time))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/03 12:22
S41	16	"704"/\$.ccls. and ((word) near4 (length and "start time"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/03 12:33
S42	11	"704"/\$.ccls. and ((word) near4 ("end time" and "start time"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/03 12:33
S43	62	"704"/\$.ccls. and ((word) near4 ("end time" and "start time" "starting time" "ending time"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/03 12:35
S44	3	704/275.ccls. and ((word) near4 ("end time" and "start time" "starting time" "ending time"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/03 12:34
S45	16	(speaker near3 recogni\$6) and ((word) near4 ("end time" and "start time" "starting time" "ending time"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/03 12:37
S46	17	(speaker near3 recogni\$6) and ((word) near4 ("end time" and "start time" "starting time" "ending time" "beginning time"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/03 12:39
S47	798	(speaker near3 recogni\$6) and ((word near4 "start time") with duration)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/03 12:40

S48	113	704/275.ccls. and ((user speaker near4 location) and ((voice speaker) near4 (recogni\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/03 12:40
S49	795	(speaker near3 recogni\$6) and ((command near4 "start time") with duration)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/03 12:42
S50	0	(speaker near3 recogni\$6) and ((command near4 "start time") with duration)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/03 12:42
S51	157	(speaker near3 recogni\$6) and (endpoint\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/03 12:43
S52	13	(speaker near3 recogni\$6) and (endpoint\$4) and 704/275.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/03 12:43
S53	4	Blair near3 wyman	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/07 08:14
S54	0	voice near3 recognition and "704"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/07 08:14
S55	2775	voice near3 recognition and "704"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/07 08:15
S56	1345	voice near3 recognition and "704"/\$.ccls.	USPAT	OR	ON	2004/09/07 08:16
S57	1575	704/251.ccls. 704/253.ccls. 704/246.ccls. 704/270.1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/07 08:51
S62	172	"704"/\$.ccls. and ((multiple plurality) near4 recognizer)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/07 13:49
S63	27	"704"/275.ccls. and ((multiple plurality) near4 recognizer)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/07 13:52
S64	201	"704"/275.ccls. and ((multiple plurality) near4 recogni\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/07 13:52

S65	56	"704"/275.ccls. and ((multiple plurality) near4 recogni\$6 near5 (device module apparatus processor))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/07 14:27
S66	6712	each near4 microphone wth recognizer and "704"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/07 14:26
S67	0	each near4 microphone near6 recognizer and "704"/275.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/07 14:26
S68	0	each near4 microphone near6 recognizer and "704"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/07 14:26
S69	0	microphone near6 each near5 recognizer and "704"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/07 14:27
S70	92	"704"/275.ccls. and ((microphone) near6 recogni\$6 near5 (device module apparatus processor))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/07 14:27
S71	48	"704"/275.ccls. and (microphone) near6 recognizer	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/07 16:38